






Makers of NuCrete", The World's Only Stainless Concrete 877.283.1897 • www.sonomastone.com



Tile • BambooForest





Designs ©2007 Sonoma Cast Stone Corp. All rights reserved.

Visit www.sonomastone.com to see photos of this and other products.

DESCRIPTION

Pre-cast concrete tile with organic bamboo stalk creating a texture for Asian inspired spa-like retreats.

There are three variations of Asian Bamboo tiles available; BambooStone, BambooForest and WabiSabi. BambooStone acts as a good field tile with the more dramatic BambooForest or WabiSabi as a decorative accent tile or trim.

All patterns are made to be laid with or without grout joints.

Refer to Tile Accessory page for pieces that compliment these tiles (p25).

WaterBridge series faucets from Sonoma Forge (www.sonomaforge.com) are an excellent compliment for creating an Asian feeling.

• FACTS

Tiles come in Classic Concrete in a mold release finish. As the term implies, tiles are "as is" when released from their molds.

Tiles are not diamond-sanded, sealed and waxed.


Tiles are currently not available Stainless Nucrete[™].

24 standard colors. See: www.sonomastone.com, catalog or techbinder. Custom colors available. Order samples online, or call 877-283-2400 x113.

Tiles are unfinished and unsealed. Sealing by installer.

Thin-set mortar can be used to install tiles to solid, level substrate.

TECHBINDER 070201 / TILES AND PAVERS / PAGE 01



Pre-cast concrete tile with organic bamboo leaf texture for Asian inspired spa-like retreats.

There are three variations of Asian Bamboo available; BambooStone, BambooForest and WabiSabi.

BambooStone acts as a good field tile with the more dramatic BambooForest or WabiSabi as a decorative accent tile or trim.

All patterns are made to be laid with or without grout joints.

Refer to Tile Accessory page for pieces that compliment these tiles (p25).

WaterBridge series faucets from Sonoma Forge (www.sonomaforge.com) are an excellent compliment for creating an Asian feeling.

Tiles come in Classic Concrete in a mold release finish. As the term implies, tiles are "as is" when released from their molds.

Tiles are not diamond-sanded, sealed and waxed.


Tiles are currently not available Stainless Nucrete[™].

24 standard colors. See: www.sonomastone.com, catalog or techbinder. Custom colors available. Order samples online, or call 877-283-2400 x113.

Tiles are unfinished and unsealed. Sealing by installer.

Thin-set mortar can be used to install tiles to solid, level substrate.

TECHBINDER 070201 / TILES AND PAVERS / PAGE 02



Pre-cast concrete tile with split bamboo texture for Asian inspired spa-like retreats.

There are three variations of Asian Bamboo available; BambooStone, BambooForest and WabiSabi.

BambooStone acts as a good field tile with the more dramatic BambooForest or WabiSabi as a decorative accent tile or trim.

All patterns are made to be laid with or without grout joints.

Refer to Tile Accessory page for pieces that compliment these tiles (p25).

WaterBridge series faucets from Sonoma Forge (www.sonomaforge.com) are an excellent compliment for creating an Asian feeling.

Tiles come in Classic Concrete in a mold release finish. As the term implies, tiles are "as is" when released from their molds.

Tiles are not diamond-sanded, sealed and waxed.


Tiles are currently not available Stainless Nucrete[™].

24 standard colors. See: www.sonomastone.com, catalog or techbinder. Custom colors available. Order samples online, or call 877-283-2400 x113.


Tiles are unfinished and unsealed. Sealing by installer.

Thin-set mortar can be used to install tiles to solid, level substrate.

TECHBINDER 070201 / TILES AND PAVERS / PAGE 03



TECHBINDER 070201 / TILES AND PAVERS / PAGE 04



DESCRIPTION

Pre-cast, acid-etched concrete tile with a distressed copper insert. Each copper "window" is hand-treated and unique as a tiny artist's painting. Elegant as an accent tile with our TruEdge tiles in an acid-etched finish.

Refer to Tile Accessory page for pieces that compliment these tiles (p25).

• FACTS

In Classic Concrete, acid-etched finish.

Tiles are not diamond-sanded, sealed and waxed.


Tiles are currently not available Stainless Nucrete[™].

24 standard colors. See: www.sonomastone.com, catalog or techbinder. Custom colors available. Order samples online, or call 877-283-2400 x113.

Tiles are unfinished and unsealed. Sealing by installer.

Thin-set mortar can be used to install tiles to solid, level substrate.

TECHBINDER 070201 / TILES AND PAVERS / PAGE 05











Tile • FlameStone



TECHBINDER 070201 / TILES AND PAVERS / PAGE 07



• DESCRIPTION

Concrete is poured into laser cut stainless steel patterns to form these MetalCrete tiles. Patterns can be custom designed with special set up fees. The design above shows 16 variations on a theme of 64 squares.

Ideal for loft, industrial, contemporary and minimal design styles of interior design. Small quantities may be ordered as a random mix.

See "Squares" for similar tiles without the stainless steel facing.

For larger orders one may order any of the patterns from this selection for a full shipment. Numbered rows and lettered columns identify each design.

Refer to Tile Accessory page for pieces that compliment these tiles.

• FACTS

Tiles are faced with stainless steel embedded in Classic Concrete and are diamond-sanded and sealed.

24 standard colors. See: www.sonomastone.com, catalog or techbinder.

Custom colors available. Order samples online, or call 877-283-2400 x113.


Both the concrete and the metal are polished to a high luster.

Nucrete $^{\mathbb{M}}$ is not available at this time for this product.

Thin-set mortar can be used to install tiles to solid, level substrate.

May be ordered individually.

TECHBINDER 070201 / TILES AND PAVERS / PAGE 09



Unique patterned accent tiles made with an ages old process called "repousse" (pounded) copper.

Four designs available called Ladders, Lights Out, Rice and Fried Rice. Copper is mounted on ceramic tile for installation.


Refer to Tile Accessory page for pieces that compliment these tiles (p25).

Tiles are copper mounted on ceramic field tile for installation. Thin-set mortar can be used to install tiles to solid, level substrate.


TECHBINDER 070201 / TILES AND PAVERS / PAGE 10







Tile • Monochrome Mosaic, Ottoman



DESCRIPTION

Two variations on the theme of an old Greek or Roman mosaic tile. The Ottoman (above) looks like an authentic hand laid mosaic which has been unearthed from an archeological site. With an uneven grid line and skewed squares, one tile does not line up with another - so it is recommended that it be laid with a grout line to separate each tile.

The same concept, done with a modern flair is our Monochrome Mosaic -Urban Style (next page). These squares are exact and alignment can be true with a non-grout flowing line.

Each style has a home with modern to historic or traditional.

Refer to Tile Accessory page for pieces that compliment these tiles (p25).

• FACTS

Tiles come in Classic Concrete in a mold release finish. As the term implies, tiles are "as is" when released from their molds.

Tiles are not diamond-sanded, sealed and waxed.

Tiles are currently not available Stainless Nucrete[™].

24 standard colors. See: www.sonomastone.com, catalog or techbinder. Custom colors available. Order samples online, or call 877-283-2400 x113.

Tiles are unfinished and unsealed. Sealing by installer.

Thin-set mortar can be used to install tiles to solid, level substrate.


TECHBINDER 070201 / TILES AND PAVERS / PAGE 11







Tile • Monochrome Mosaic, Urban



• DESCRIPTION

Two variations on the theme of an old Greek or Roman mosaic tile. The Ottoman (previous page) looks like an authentic hand laid mosaic which has been unearthed from an archeological site. With an uneven grid line and skewed squares, one tile does not line up with another - so it is recommended that it be laid with a grout line to separate each tile.

The same concept, done with a modern flair is our Monochrome Mosaic -Urban Style (above). These squares are exact and alignment can be true with a non-grout flowing line.

Each style has a home with modern to historic or traditional.

Refer to Tile Accessory page for pieces that compliment these tiles (p25).

• FACTS

Tiles come in Classic Concrete in a mold release finish. As the term implies, tiles are "as is" when released from their molds.

Tiles are not diamond-sanded, sealed and waxed.


Tiles are currently not available Stainless Nucrete[™].

24 standard colors. See: www.sonomastone.com, catalog or techbinder. Custom colors available. Order samples online, or call 877-283-2400 x113.

Tiles are unfinished and unsealed. Sealing by installer.

Thin-set mortar can be used to install tiles to solid, level substrate.

TECHBINDER 070201 / TILES AND PAVERS / PAGE 12



Refer to Tile Accessory page for pieces that compliment these tiles (p25).


Tiles are currently not available Stainless Nucrete[™].

24 standard colors. See: www.sonomastone.com, catalog or techbinder. Custom colors available. Order samples online, or call 877-283-2400 x113.

Tiles are unfinished and unsealed. Sealing by installer.

Thin-set mortar can be used to install tiles to solid, level substrate.

TECHBINDER 070201 / TILES AND PAVERS / PAGE 13





Tiles are unfinished and unsealed. Sealing by installer.

Thin-set mortar can be used to install tiles to solid, level substrate.

See Slip Coefficient Test in the appendix.

TECHBINDER 070201 / TILES AND PAVERS / PAGE 14






24 standard colors. See: www.sonomastone.com, catalog or techbinder. Custom colors available. Order samples online, or call 877-283-2400 x113.

Tiles are unfinished and unsealed. Sealing by installer.

Thin-set mortar can be used to install tiles to solid, level substrate.

TECHBINDER 070201 / TILES AND PAVERS / PAGE 16



DESCRIPTION

Pre-cast concrete tile employing various tire treads in various states of wear. Ideal for a kid's bath or a new car showroom, these treads are available in three "mileage patterns".

The 50,000 model looks almost like a new tire. 100,000 model is next, followed by worn down 150,000 "mile" model which displays a more subtle reminder of travels taken.

A dramatic wall is one with a matching color in our TrueEdge tile (p17) as a background with two lines of matching Treads that have been "driven" through the field.

Custom styles and sizes available.

Refer to Tile Accessory page for pieces that compliment these tiles (p25).

• FACTS

Tiles come in Classic Concrete in a mold release finish. As the term implies, tiles are "as is" when released from their molds.

Tiles are not diamond-sanded, sealed and waxed.


Tiles are currently not available Stainless Nucrete[™].

24 standard colors. See: www.sonomastone.com, catalog or techbinder. Custom colors available. Order samples online, or call 877-283-2400 x113.

Tiles are unfinished and unsealed. Sealing by installer.

Thin-set mortar can be used to install tiles to solid, level substrate.

TECHBINDER 070201 / TILES AND PAVERS / PAGE 17



TECHBINDER 070201 / TILES AND PAVERS / PAGE 18








For more product info, or to download replacement form see: www.sonomastone.com

Tile • TumbleTile



Pre-cast concrete tile with a tumbled texture, our TumbleTile molds have a large variety of patterns and textures. So many, that they look as though each is unique and have been pulled from an old Cotswold cottage.

We often stock a variety of four colors that are designed to match the more natural tones.

Matching half-round edged border tile and corner tile are also available.

Refer to Tile Accessory page for pieces that compliment these tiles (p25).

Tiles come in Classic Concrete in a mold release finish. As the term implies, tiles are "as is" when released from their molds.

Tiles are not diamond-sanded, sealed and waxed.


Tiles are currently not available Stainless Nucrete[™].

24 standard colors. See: www.sonomastone.com, catalog or techbinder. Custom colors available. Order samples online, or call 877-283-2400 x113.

Tiles are unfinished and unsealed. Sealing by installer.

Thin-set mortar can be used to install tiles to solid, level substrate.

TECHBINDER 070201 / TILES AND PAVERS / PAGE 19



For a subtle wall, a neutral grout color is advised.

For a dramatic "sock-it-to-me" modern wall, the grout color may be altered for high contrast. May be used on wall or floor.

Refer to Tile Accessory page for pieces that compliment these tiles (p25).


Tiles are currently not available Stainless Nucrete[™].

24 standard colors. See: www.sonomastone.com, catalog or techbinder. Custom colors available. Order samples online, or call 877-283-2400 x113.

Tiles are unfinished and unsealed. Sealing by installer.

Thin-set mortar can be used to install tiles to solid, level substrate.

TECHBINDER 070201 / TILES AND PAVERS / PAGE 20



Thin-set mortar can be used to install tiles to solid, level substrate.


It is important to note that control joints in the substrate should not be bridged by the pavers.

Refer to Tile Accessory page for pieces that compliment these tiles (p25).


TECHBINDER 070201 / TILES AND PAVERS / PAGE 21







SoftStone Pavers • Blend of 9 Sizes



Pre-cast concrete pavers with pillowed top profile to replicate old world charm of a time worn pathway. Available as a blend of nines sizes only. Shoulder height of 7/8'' combined with a choice of one of two pillows (1/8'' and 3/8'').

Available as a blend of nine sizes in two overall thicknesses (1-1/8" or 1-3/8"). Choice of shoulder height of 1" with pillows of 1/8" or 3/8". Sold as a blend of nine sizes - may not order individual sizes. See previous page for individual sizes available.

Available in two standard color blends. Custom colors also available.

See non-repeating layout example (p22). Suitable for pedestrian traffic using sand bed installation or over concrete substrate. For vehicular traffic, pavers must be applied to a concrete substrate. It is important to note that control joints in the substrate should not be bridged by the pavers.

In Classic Concrete, mold-release finish. Tiles are "as is" when released from their molds.

The colors are standard blends in "Appian Way" or "Pebble beach".

See photos at: www.sonomastone.com

Custom colors available. Order samples online, or call 877-283-2400 x113.

Tiles are not diamond-sanded, sealed and waxed. (Optional)

Tiles are currently not available Stainless Nucrete[™].

Tiles are unfinished and unsealed. Sealing by installer.

Thin-set mortar can be used to install tiles to solid, level substrate.


TECHBINDER 070201 / TILES AND PAVERS / PAGE 22







Tile/Pavers • SoftStone Layout



• DESCRIPTION

Pre-cast concrete pavers with pillowed top profile to replicate old world charm of a time worn pathway. Nines sizes create a random pattern with one of two pillow sizes (1/8" or 3/8") in two standard color blends.


Custom colors also available. All sizes and colors are equally combined on each pallet for ease of installation.

Sizes not available individually. See previous page for available sizes. Suitable for pedestrian traffic using sand bed installation or over concrete substrate. For vehicular traffic, pavers must be applied to a concrete substrate. It is important to note that control joints in the substrate should not be bridged by the pavers.

Refer to Tile Accessory page for pieces that compliment these tiles (p25).

• FACTS

TECHBINDER 070201 / TILES AND PAVERS / PAGE 23



• DESCRIPTION

Pre-cast concrete tiles in two sizes to create a basket weave effect. The larger size tile (12" x 24") has squared edges on the long (24") sides and a slightly tapered profile on the short (12") ends.

This design allows the floor to look truly "woven" as the "waft" dives under the "warp." On a large area the look is of a stunning large weave.

This effect is difficult and expensive in stone, easy in Classic Concrete.

Sizes not available to be ordered individually.

• FACTS

Tiles come in Classic Concrete in a mold release finish. As the term implies, tiles are "as is" when released from their molds. Tiles are not diamond sanded, sealed and waxed. Available as an option.


Tiles are currently not available stainless Nucrete™.

Available in 24 standard colors. Custom colors are available. For standard color chart, refer to catalog or visit our website. Samples may be ordered online, or by calling 877-283-2400 x113.

Tiles are unfinished and unsealed. Sealing by installer.

Thin-set mortar can be used to install tiles to solid, level substrate.

TECHBINDER 070201 / TILES AND PAVERS / PAGE 24



Accessory pieces are finished on all exposed sides.

24 standard colors. See: www.sonomastone.com, catalog or techbinder. Custom colors available. Order samples online, or call 877-283-2400 x113. Tiles are "as is" when released from their molds. Tiles are not diamond-sanded, sealed and waxed. (Optional) Tiles are currently not available Stainless Nucrete".

Tiles are unfinished and unsealed. Sealing by installer.

Thin-set mortar can be used to install tiles to solid, level substrate.

TECHBINDER 070201 / TILES AND PAVERS / PAGE 25